



www.srsonsemr.in



SR SONS
laundry care system

India's Leading Manufacturer
& Exporter of

LAUNDRY, FINISHING & TEXTILE MACHINERY

Reliable Solutions. Superior Performance.
Built for the Textile Industry.



**SUPERIOR
QUALITY**
Built for
Long Lasting
Performance



**ADVANCED
TECHNOLOGY**
High Performance
Machines



**TRUSTED
BY EXPERTS**
Delivering Excellenc
Everytime




**WASHER
EXTRACTOR**



**DRY CLEANING
MACHINE**



**DRYING
TUMBLERS**



**FLAT WORK
IRON**



**FLAT BED
IRON**



QUALITY
International Standards
& Quality Assured



TECHNOLOGY
Innovation That Drives
Better Performance



COMMITMENT
Dedicated to Customer
Satisfaction



OUR ADDRESS

Plot No 814/2/1 Firni Road Near
Dayanand Dharm Kanta Mundka
Delhi 110041



MAIL US

srsons12@gmail.com



CALL US

+91-9910904320
+91-9310969390

ABOUT US

INTRODUCTION

Established in 2011 in Delhi, India, S.R. Sons Garments Equipment has built a strong reputation as a trusted manufacturer, wholesaler, trader, and service provider of premium industrial laundry equipment and solutions.

We specialize in the manufacturing, supply, installation, repair, and maintenance of a comprehensive range of industrial laundry machines, including Laundry Boilers, Industrial Washing Machines, Dry Cleaning Machines, Washer Extractors, Laundry Finishing Equipment, Storage Trolleys, and other allied products. Our solutions are designed to deliver high performance, reliability, and long-lasting operational efficiency for commercial and industrial laundry applications.

With over a decade of industry expertise, our team of highly skilled engineers provides professional repair and maintenance services for all major brands of industrial laundry machines. We are committed to minimizing downtime and ensuring maximum productivity through prompt service and technical excellence.

Under the visionary leadership of Mr. Vipin Saini (Proprietor), we continue to focus on quality, innovation, customer satisfaction, and ethical business practices. Our dedication to delivering dependable products and exceptional after-sales support has earned us the trust of clients across various industries throughout India.

OUR INFRASTRUCTURE

At S.R. Sons Garments Equipment, our state-of-the-art infrastructure is designed to support efficient manufacturing, stringent quality control, and timely product delivery. Equipped with modern machinery and advanced production facilities, our infrastructure enables us to meet the evolving requirements of commercial and industrial laundry businesses.

Our facility is systematically divided into specialized departments, including Manufacturing, Assembly, Quality Inspection, Warehousing, Packaging, and Dispatch, ensuring a smooth and well-organized workflow at every stage of production.

Our manufacturing unit is managed by a team of experienced professionals who closely monitor every process to maintain the highest standards of precision, quality, and performance. The spacious warehouse and streamlined inventory management system allow us to ensure safe storage, efficient handling, and on-time delivery of products.

With a strong focus on continuous improvement and technological advancement, our infrastructure empowers us to deliver reliable, high-quality solutions while maintaining operational excellence and complete customer satisfaction.

REPAIR & MAINTENANCE SERVICES

At S.R. Sons Garments Equipment, we provide comprehensive Repair, Maintenance, Installation, and Annual Maintenance Services (AMC) for all types of industrial laundry equipment. Our experienced service engineers are trained to diagnose and resolve technical issues efficiently, ensuring maximum machine performance and minimum downtime.

We offer expert repair and maintenance services for:

Industrial Top & Front Loading Washing Machines, Hydro Extractor Machines, Drying Tumbler Machines, Washer Extractor Machines, Dry Cleaning Machines (Automatic & Semi-Automatic), Laundry Finishing Equipment, Flatwork Ironers (Calendar Machines), Flat Bed Press Machines, Vacuum Finishing Tables, Diesel Fired & Electric Steam Boilers (Automatic & Semi-Automatic), Hot Water Boilers, Soya Milk Boilers, All Types of Industrial Laundry Equipment In addition, we specialize in VFD (Variable Frequency Drive) and PLC (Programmable Logic Controller) repair, troubleshooting, and system maintenance.

We provide Annual Maintenance Contracts (AMC) and Preventive Maintenance Services on both yearly and monthly plans to help customers improve equipment reliability, reduce unexpected breakdowns, and extend machine life.

With a commitment to quality workmanship, prompt response, genuine spare parts, and dependable after-sales support, our dedicated service team is available to deliver fast and reliable solutions for all major brands of industrial laundry equipment.



SR SONS
LAUNDRY CARE SYSTEM

Reliable Solutions. Superior Performance.
Built for the Textile Industry.



OUR ADDRESS
Plot No. , Saini Vihar,
Firni Road, Village Mundka,
Delhi - 110041 INDIA



MAIL US
srsns12@gmail.com
www.srsonsemr.in



CALL US
+91-9910904320
+91-9310969390



SRS INDUSTRIAL WASHER EXTRACTOR

- Front, Outer casing, inner basket sides, back & top panels all in full Stainless Steel. A separate compartment chemical dispenser.
- Large Door with Interlock for safety.
- Single Motor Drive. Large capacity motor working with variable.
- Frequency drive speed for wash, distribution, low, normal & high spin.
- Low Power Consumption. "Easy to Operate Space Saving.
- Robust spring suspension system with industrial shock absorbers.
- 350G Extract Force Powerful Advance Microprocessor Control.
- Electric or Steam heated type.

TECHNICAL SPECIFICATIONS

Model	Capacity per Charge	Basket Size Volume	Drive Motor	Tilt Motor	Final Extract Speed (RPM)	Door Opening	Water Connection	Drain	Heating Options		Dimensions
							Consumption		Water Connection	Electric	
									Consumption		
SRS 15	15Kg	Ø 750×350/ 155 LTS	3.75Kw	-	1000 RPM	Ø380	Ø 25(1" BSP)× 1 No. / 75 Ltrs.	2"	Ø 15 (0.5" BSP) / 10 KG	6 Kw	W 1060× D 1060× H 1370
SRS 20	20Kg	Ø 900×320/ 204 LTS	3.75Kw	-	1000 RPM	Ø380	Ø 38 (1.5" BSP)× 1 No. / 75 Ltrs.	3"	Ø 15 (0.5" BSP) / 15 KG	12 Kw	W 1060× D 1130× H 1600
SRS 30	30Kg	Ø 900×500/ 318 LTS	5.25 Kw	-	800 RPM	Ø500	Ø 50 (2" BSP)× 1 No. / 120 Ltrs.	3"	Ø 15 (0.5" BSP) / 20 KG	12–24 Kw	W 1325× D 1760× H 1900
SRS 45	45Kg	Ø 1000×600/ 470 LTS	7.5 Kw	-	800 RPM	Ø500	Ø 50 (2" BSP)× 1 No. / 180 Ltrs.	3"	Ø 20 (0.75" BSP) / 30 KG	12–24 Kw	W 1325× D 1760× H 1900
SRS 60	60Kg	Ø 1100×650/ 617 LTS	10 Kw	-	720 RPM	Ø650	Ø 50 (2" BSP)× 1 No. / 240 Ltrs.	3"	Ø 20 (0.75" BSP) / 40 KG	18–36 Kw	W 1610× D 1750× H 2000
SRS 120	120Kg	Ø 1350×850/ 1216 LTS	18.5 Kw	-	650 RPM	Ø815	Ø 50 (2" BSP)× 1 No. / 480 Ltrs.	4"	Ø 25 (1" BSP) / 80 KG	-	W 1950× D 2250× H 2452
SRS 120	120Kg	Ø 1350×850/ 1216 LTS	18.5 Kw	1.5 Kw	650 RPM	Ø815	Ø 50 (2" BSP)× 1 No. / 480 Ltrs.	4"	Ø 25 (1" BSP) / 80 KG	-	W 1950× D 2250× H 2452/ HT 2970



SR SONS
LAUNDRY CARE SYSTEM

Reliable Solutions. Superior Performance.
Built for the Textile Industry.



OUR ADDRESS
Plot No. , Saini Vihar,
Firni Road, Village Mundka,
Delhi - 110041 INDIA



MAIL US
srsns12@gmail.com
www.srsnsemr.in



CALL US
+91-9910904320
+91-9310969390



SRS INDUSTRIAL WASHING MACHINE (FRONT LOADING)

- Capable of washing all type and laundry linen.
- Complete stainless steel front & door.
- Inner Basket and outer drum-all highly polished stainless steel.
- Easy loading & unloading through large toughened glass door.
- The machine stops automatically on opening the door.
- Auto timed Auto reverse & forward.
- Auto digital temperature control. Auto Water Level Control.
- Easy to operate Space saving.
- Electric or Steam heated type.

TECHNICAL SPECIFICATIONS

Model	Capacity dry wt per Charge	Basket Size Volume	Wash Motor Extract Speed	Extract Motor Extract Speed	Main Door Opening	Water Connection Consumption APP	Drain	Heating Steam Consumption	Electric Load	Overall Dimension WxDxH APP	Net wt/Shipping Wt. Shipping Size WxDxH App. Shipping Vol.
SRS F/15	15Kg.	810x410 211Lts	0.75Kw 35Rpm	1.50kw 200Rpm	500mm	1.0°BSP *100Lts/FILL	2°	0.5°BSP 15kg/hr	6Kw	1010x1150.1375	550kg/700kg 1250x1300x 1700 2.76M³
SRS F/30	30Kg.	960x500 362Lts	0.75Kw 35Rpm	2.50kw 200Rpm	500mm	1.0°BSP *125Lts/FILL	3°	0.5°BSP 25kg/hr	12Kw	1260x1560x1580	840kg/700kg 1450x1740x 1950 4.9M³
SRS F/60	60Kg.	1110x760 735Lts	1.5Kw 35Rpm	3.75kw 200Rpm	650mm	1.0°BSP *125Lts/FILL	3° 3°	0.5°BSP 50kg/hr	24Kw 24Kw	1310x1600x1775	1100kg/1350kg 1550x2100x2120
SRS F/100	100Kg	1360x990 1437Lts	3.75Kw 25Rpm	5.5kw 150Rpm	800mm	1.0°BSP *500Lts/FILL	3° 3°	0.5°BSP 50kg/hr	24Kw 24Kw	1240x1800x1900	1100kg/1350kg 1550x2100x2120



SR SONS
LAUNDRY CARE SYSTEM

Reliable Solutions. Superior Performance.
Built for the Textile Industry.



OUR ADDRESS
Plot No. , Saini Vihar,
Firni Road, Village Mundka,
Delhi - 110041 INDIA



MAIL US
srsns12@gmail.com
www.srsonsemr.in



CALL US
+91-9910904320
+91-9310969390

SRS INDUSTRIAL WASHING MACHINE (SIDE LOADING)



- Electric, steam or thermal Fluid heated.
- Side Loading, open pocket, single & double door, ideal for larger laundries.
- Performs all type of wash with soap, detergent, bleaching, acid, stone, or any chemical wash including dying.
- Electricity & mechanically interlocked, S.S. Loading & Unloading doors.
- S.S. hopper & heater box "M.S trunnion shaft Epoxy painted structure frame.
- Electrical control well protected for performance auto timed, auto reverse & auto digital temperature control.
- Easy Protective device against single phasing, reverse phasing and motor overload.
- Front display of controls through pilot lamps, push bottoms, etc. water level indication
- Drive:- Heavy duty motor co-ordinates with heavy duty gear box to pully with belt toke the load.

TECHNICAL SPECIFICATIONS

Model	Capacity dry wt per Charge	Basket Size Volume	Wash Motor	Main Door Opening	Water Connection Consumption on APP	Drain	Heating		Thermal Fluid Connection Consumption	Overall Dimension WxDxH APP	Net wt/Shipping Wt. Shipping Size WxDxH App. Shipping Vol.
							Steam Connection Consumption	Electric Load			
SRS S/15	15Kg.	600x700 211Lts	0.37Kw	400X300	1.0°BSP *165Lts/FILL	2.5°	0.5°BSP 15kg/hr	6kw	-	1300x730x980	330kg/410kg 1600x1030x1280
SRS S/30	30Kg.	700x960 370Lts	0.75Kw	500X360	1.0°BSP *125Lts/FILL	2.5°	0.5°BSP 25kg/hr	12kw	1"x1"BSP 10000 Kcal/hr.	1560x890x1100	475kg/600kg 1860x1200x1400 3.1M³
SRS S/60	60Kg.	910x1130 1487Lts	1.5Kw	660X410	2.0°BSP *250Lts/FILL	3.0°	1.0°BSP 50kg/hr	24kw	1"x1"BSP 20000 Kcal/hr.	2520x1300x120	1235kgx1525kg 2250x1400x1500 4.73M³
SRS S/100	100Kg	1200x1510 1487Lts	3.75Kw	810X460	2.0°BSP *500Lts/FILL.	4.0°	1.0°BSP 100kg/hr	36kw	1"x1"BSP 40000 Kcal/hr	2520x1300x135 0	1235kgx1525kg 2800x1600 6.9M³
SRS S/200	200Kg	1120x300 2954Lts	7.5Kw	810X460 2 Nos.	3.0°BSP *995Lts/FILL	6.0°	1.0°BSP 200kg/hr	****	1"x1"BSP 80000 Kcal/hr.	4330x1300x135 0	3400kgx2575kg 4600x1600x1500 11.40M³
SRS S/400	400Kg	1360x400 5807Lts	1.5Kw	810X460 3 Nos.	4.0°BSP *2050Lts/FILL	8.0°	1.5°BSP 400kg/hr	****	1"x1"BSP 160000 Kcal/hr	6050x1700x175 0	4225kgx8850kg 6350x2050x1950 25.40M²



SR SONS
LAUNDRY CARE SYSTEM

Reliable Solutions. Superior Performance.
Built for the Textile Industry.



OUR ADDRESS
Plot No. , Saini Vihar,
Firni Road, Village Mundka,
Delhi - 110041 INDIA



MAIL US
srsns12@gmail.com
www.srsnsemr.in



CALL US
+91-9910904320
+91-9310969390



SRS INDUSTRIAL DRYING TUMBLERS

- Stainless steel inner basket "Double walled glass wool insulated outer body duly painted. Electrically interlocked loading & Unloading door "No space required on sides of the machine.
- Electrically Controlled protection provided for auto timing, auto reversing and
- Auto digital temperature controls "protective device against single and reverse phasing and motor overload.
- All controls front displayed with pilot lamps.
- V-Belt and pulley drive for low torque and high speed.
- Steam radiator/Electric heaters: Made out of coils and aluminum fins for
- Steam heated, & fin type air heating elements for electrically heated machine.
- Centrifugally balanced suction blower mounted directly on to the motor.
- Electric, Steam or thermal fluid heated.

TECHNICAL SPECIFICATIONS

Model	Capacity dry wt per Charge	Basket Size Volume	Drive Motor Blower Motor	Main Door Opening	Heating			Diesel Consumption	Overall Dimension WxDxH APP	Net wt/Shipping Wt. Shipping Size WxDxH App. Shipping Vol.
					Steam Connection Consumption	Electric Load	Thermal Fluid Connection Consumption			
SRS DT/10	10Kg.	600 Ø x375 110 Lts	0.37Kw 0.37Kw	365mm	N.A.	6kw	N.A.	N.A.	700x990x1530	295kg/460kg 1190x1470x 1940 3.40M
SRS DT/15	15Kg.	800x600 300Lts	0.37Kw 0.37Kw	500mm	0.5°BSP 25Kg/hr	9kw	0.5°x0.5° BSP 10000Kcal/hr	-	890x1170x1740	295kg/460kg 1190x1470x 1940 3.40M
SRS DT/30	30Kg.	950x850 602Lts	0.75Kw 0.75Kw	650mm	0.5°BSP 40Kg/hr	18k	0.5°x0.5° BSP 20000Kcal/hr	2.5 Lts/hr	1050x1460x1980	565kg/1785kg 1350x1450x 2150 5.15M
SRS DT/60	60Kg.	1250x990 1214Lts	1.5Kw 1.5Kw	800mm	0.5°BSP 80Kg/hr	36kw	1.0°x1.0° BSP 40000Kcal/hr	5 Lts/hr	1350x1690x2300	890kg/1190kg 1350x2000x 2500 8.2M
SRS DT/100	100Kg.	1600x1200 2411Lts	2.25Kw 1.5Kw (Nos)	1000mm	0.5°BSP 150Kg/hr		1.5°x1.5° BSP 80000Kcal/hr	7.5 Lts/hr	1750x2190x2750	1720kg/2190kg 2050x2500x 2950 15.12M



SR SONS
LAUNDRY CARE SYSTEM

Reliable Solutions. Superior Performance.
Built for the Textile Industry.



OUR ADDRESS
Plot No. , Saini Vihar,
Firni Road, Village Mundka,
Delhi - 110041 INDIA



MAIL US
srsns12@gmail.com
www.srsnsemr.in



CALL US
+91-9910904320
+91-9310969390



SRS INDUSTRIAL HYDRO EXTRACTOR

- Stainless steel basket "S.S Outer drum *Study welded construction facility to dismantle basket without dismantling the outer casing Electricity inte- rlocked top lid stops the machine when opened "Outer casing is moun- ded on M.S. heavy base frame, duly painted.
- Drive:- Directly mounted basket on a specially designed high torque, heavy duty motor with rests on the spigot of the base frame. Provided with built-in rubber buffer cushion to enable self balancing.
- No V-Belts "No loss of speed Quick self balancing Noiseless and Vibration-Free performance charge after charge.
- Electrically controlled instrumentation and protection for auto timing and automatic D.C. injection for braking. Protective devices single & reverse phasing and motor overload

TECHNICAL SPECIFICATIONS

Model	Capacity dry wt per Charge	Basket Size Volume	Motor	Basket Speed	Drain	Overall Dimansion WxDxH APP	Net Wt/Shipping Wt.Shipping SizeWxDX H App.Shipping Vol.
SRS H/5	15Kg.	550x300 71 Lts	1000RPM	2.75°BSP	1000RPM	2.5°BSP	330Kg/440Kg 1100x1300x1250 1.78M
SRS H/30	30Kg.	700x300 115 Lts	1000RPM	3.75°BSP	1000RPM	2.5°BSP	400Kg/560Kg 1240x1440x1300 2.32M
SRS H/60	60Kg.	1000x300 235 Lts	750RPM	7.5°BSP	750RPM	3° BSP	840Kg/1075Kg 1550x1850x1350 3.87M



SRS INDUSTRIAL FLAT BED IRON

- Pneumatic operated bed with moisture and timer for bed releasing of head with pneumatic push butter raising and lowering of the head.
- Ideal for uniform, hosiery clothes, table lines, bed sheets and pillow covers.
- Press is fitted with a padded buck & polished iron head with moisture suctions features.
- Auto timed. Auto Temperature Control, Low energy consumption.
- Covered with teflon sheets in head.
- Electric or steam heated type.

TECHNICAL SPECIFICATIONS

Model	Head and Bed Size	Air Connection Consumption	The Fluid Connection Consumption	Heating Steam Connection Consumption	Electric Lood	Overall Dimension WxDxH APP	Net wt/Shipping Wt. Shipping Size WxDxH App. Shipping Vol.
SRS FBP/75	1500x750	0.5 BSP 100Lts/ Min 6Kg/cm	0.5°, 0.5° BSP 16000 Kcal/hr	0.5° BSP 30Kg/hr	18Kw	1600x1600x1300	600Kg/800Kg 1900x1900x1600 5.77M
SRS FBP/110	2300x110	0.5 BSP 200Lts/ Min 6Kg/cm	0.5°, 0.5° BSP 32000 Kcal/hr	0.5° BSP 60Kg/hr	36Kw	245x1950x1300	1150Kg/1500Kg 2750x2250x1600 9.9M



SR SONS
LAUNDRY CARE SYSTEM

Reliable Solutions. Superior Performance.
Built for the Textile Industry.



OUR ADDRESS
Plot No. , Saini Vihar,
Firni Road, Village Mundka,
Delhi - 110041 INDIA



MAIL US
srsons12@gmail.com
www.srsonsemr.in



CALL US
+91-9910904320
+91-9310969390

SRS INDUSTRIAL FLAT WORK IRON



- Single or multi roller.
- Prematic raising & lowering of chests, rollers with moisture suction & variable speed.
- Auto timed & Auto temperature control.
- Powerful suction: Individual direct mounted centrifugal blower on to the roller quickly removes moisture.
- It offers a dramatic saving of time labour ideal for pressing of bed sheets, napkins, table lines, pillow cover and any type of flat line etc. made easy, failsafe finger guard stops the machine instantly.
- Electric or steam heated type.

TECHNICAL SPECIFICATIONS

Model	Roller Size Dia x Length	Drive Motor Suction Motor	Air Connection Consumption	Steam Connection Steam Consumption	Overall Dimension WxDXH APP	Net Wt/Shipping Wt. Shipping Size WxDXH App. Shipping Vol.
SRS H/18	450x210	1.0 Kw 0.75 Kw	Ø15(0.5° BSP) 20 Lts/Min	Ø15(0.5°BSP) 30 Kg/Hr	3000x1200x1400	1500Kg/1800kg 300x1500x1700 / 8.41M
SRS H/24	600x3000	2.25 Kw 0.75 Kw	Ø15(0.5° BSP) 60 Lts/Min	Ø15(0.5° BSP) 70 Kg/Hr	3800x1400x1600	2000Kg/12300Kg 41x1800x1900 / 140M
SRS H/30	830x3300	5.6 Kw 0.75 Kw	Ø15(0.75° BSP) 60 Lts/Min	Ø25(1° BSP) 150 Kg/Hr	4800x2200x1800	6950Kg/8150Kg 5100x3600x2000 / 36.72M
SRS H/32	830x3300	7.5 Kw 0.75 Kw	Ø20(0.75° BSP) 200 Lts/Min	Ø38(1° BSP) 300 Kg/Hr	4800x2200x1800	6950Kg/8150Kg 5100x3600x2000 / 36.72M



SRS INDUSTRIAL DRY CLEANING MACHINE

- Front Loading, Open pocket, auto timed, auto reverse, auto filtration with low spin extract.
- Ideal for petrol solvent cleaning in the most efficient and economical manner with high quality results.
- Stainless steel basket & mild steel outer casing.
- Large lading & Unloading door Outer body duly painted.

TECHNICAL SPECIFICATIONS

Model	Capacity dry wt per Charge	Basket Size Volume	Dry Cleaning Motor Speed	Extract Motor	Extract Motor	Filter Pump Capacity	Tank Capacity		Overall Dimension WxDxH APP	Net wt/Shipping Wt. Shipping Size WxDxH App. Shipping Vol.
							Base	Filter		
SRS DC/15	15Kg.	700x470 180Lts	0.37 Kw 35 RPM	1.5 Kw	200 RPM	0.37 KW 100Lts/Min	260 Lts	260 Lts.	1000x1080x 1730	475kg/545kg 1300x1380x1930 3.46M
SRS DC/30	30Kg	960x500 362Lts	0.75 Kw 35 RPM	3.75 Kw	200 RPM	0.37 KW 100Lts/Min	410 Lts	460 Lts	1300x1250x 2000	900kg/115kg 1600x1500x22 5.45M



SR SONS
LAUNDRY CARE SYSTEM

Reliable Solutions. Superior Performance.
Built for the Textile Industry.



OUR ADDRESS
Plot No. , Saini Vihar,
Firni Road, Village Mundka,
Delhi - 110041 INDIA



MAIL US
srsns12@gmail.com
www.srsnsemr.in



CALL US
+91-9910904320
+91-9310969390



SRS VACUUM FINISHING TABLE

Large Flat Top padded with imported Silicon padding. Strong welded construction. Thermostatically controlled stainless steel table heater. Extended exhaust duct with lighting device. Adjustable garment hanger stand. Powerful Suction through centrifugal blower activated by spring loaded full length foot pedal working in conjunction with sturdy microswitch. Ideal cover material helps achieve excellent ironing results. Silicon iron stand protects ironing and teflon soles with stand upto 150°C of temperature.

TECHNICAL SPECIFICATIONS

Model	Table Top Size	Suction Motor	Suction Capacity	Overall Dimension	Net Wt
SRS / PT	1250x750	400LTS/SEC (850CFM)	1000RPM	1530x890x1850	165 Kg
SRS / PT	1500x900	600LTS/SEC (1300CFM)	1000RPM	1780x1040x1850	190 Kg



SRS STEAM GENERATOR ELECTRIC FULLY AUTOMATIC

Pressure Vessel:-

Boiler quality steel construction. S.S. heavy duty electric heaters, imported water level regulator, electric solenoid steam release safety valve, water level gauge, safety release valve.

TECHNICAL SPECIFICATIONS

Model	Capacity	Pressure	Heating	Steam Capacity	Total Electric Load	Overall Dimension	Net Wt.
SRS 6	2 Tablets	85 Psi (6 Bar)	6 kw	6 kw 415v	6 kw 415v	600x450x900	85 kg
SRS 12	4 Tablets	85 Psi (6 Bar)	12 kw	12 kw 415v	12 kw 415v	750x490x900	110 kg
SRS 16	8 Tablets	85 Psi (6 Bar)	18 kw	17 kw 415v	17 kw 415v	1000x690x1125	160 kg
SRS 27	12 Tablets	105 Psi (7 Bar)	105 kw	28.5 kw 415v	28.5 kw 415v	1000x690x1125	165 kg



SR SONS
LAUNDRY CARE SYSTEM

Reliable Solutions. Superior Performance.
Built for the Textile Industry.



OUR ADDRESS
Plot No. , Saini Vihar,
Firmi Road, Village Mundka,
Delhi - 110041 INDIA



MAIL US
srsns12@gmail.com
www.srsnsemr.in



CALL US
+91-9910904320
+91-9310969390

SRS INDUSTRIAL HOT WATER BOILER

Hot water boiler Heavy duty steam cell, powerfully three side safety valve, diesel fire Heating with diesel tank. Boiler consume diesel 2.5 to 3 liter per hour. Micro display, Italian burner, Fully automatic water cut off, automatic cut off on high temperature. cell 304 SS OUTER BODY SS



SRS VACUUM STAIN REMOVING MACHINE

Stain Removing Machine is manufactured of stainless steel with S.S. Narrow swiveling sleever arm. It is an ecological chemical suction with all electrical. Stain Removing Machine consists of the following features: S.S. Rack for solvent containers. S.S. forged imported spotting guns. Heavy Duty imported steel air gun. Cold and Hot spotting device for pre and post spotting.



SRS INDUSTRIAL DIESEL FIRED STEAM BOILER (AUTOMATIC)

Capacity 250 kg. Heavy duty hot water cell-SS304. Powerfully recirculation pumps heavy duty, three side safety valve, diesel fire Heating with diesel tank. Boiler consume diesel 7 to 8 liter per hour. Italian burner, Fully automatic water cut off, automatic cut off on high temperature. Electrical load -0.75 kw



SR SONS
LAUNDRY CARE SYSTEM

Reliable Solutions. Superior Performance.
Built for the Textile Industry.



OUR ADDRESS
Plot No. , Saini Vihar,
Firni Road, Village Mundka,
Delhi - 110041 INDIA



MAIL US
srsns12@gmail.com
www.srsonsemr.in



CALL US
+91-9910904320
+91-9310969390

SRS TROLLEY

01



INDUSTRIAL DRY LINEN TROLLEY

Capacity-50Kg
Size-850x650x1650 (WxDxH)

02



INDUSTRIAL DRY LINEN TROLLEY

Capacity-50Kg
Size-850x650x800 (WxDxH)

03



INDUSTRIAL WASH ROOM TROLLEY

Capacity-100Kg
Size-850x650x800 (WxDxH)

04



INDUSTRIAL DRY LINEN TROLLEY

Capacity-50Kg
Size-1130x720x800 (WxDxH)



SR SONS
LAUNDRY CARE SYSTEM

Reliable Solutions. Superior Performance.
Built for the Textile Industry.



OUR ADDRESS
Plot No. , Saini Vihar,
Firni Road, Village Mundka,
Delhi - 110041 INDIA



MAIL US
srsons12@gmail.com
www.srsonsemr.in



CALL US
+91-9910904320
+91-9310969390



SR SONS
laundry care system

CONTACT US

We are here to help you with
the best laundry solutions.



Address :-

Plot No 814/2/1 Firni Road Near Dayanand
Dharm Kanta Mundka Delhi 110041



Mobile No. :-

+91-9910904320, +91-9310969390



Email :-

srsons12@gmail.com



Website :-

www.srsonsemr.in

FOLLOW US



QUALITY
ASSURED



INNOVATIVE
SOLUTIONS



CUSTOMER
SATISFACTION